

## Pump Chain CPK Stainless

### Product information



#### Versatile Heavy-Duty Solutions

Stainless Steel pump chains enable safe placing of pumps and aeration devices. Accompanied with WLL-tag and certificate. In addition to our standard sizes, we offer customized solutions.

- Two-leg system for pumps with 2 lifting points
- Selection of end-fittings such as eye hooks, joining links, or shackles
- Custom segment lengths by request

**Material:** AISI 316 / AISI 318LN

**Marking:** CE-marked

**Temperature range:** -40°C up to 250°C

**Finish:** Blasted

**Safety factor:** 4:1

**Grade:** 6

<b>Part code</b>	<b>Chain diameter mm</b>	<b>WLL ton</b>	<b>Masterlink</b>	<b>Connecting link*</b>
2206	3	0.2	5 x 42 x 22	-
2206	4	0.4	8 x 54 x 30	5 x 22 x 9
2206	5	0.63	10 x 80 x 50	6 x 26 x 13
2206	6	0.9	13 x 110 x 60	8 x 35 x 19
2206	7	1.25	13 x 110 x 60	8 x 35 x 19
2206	8	1.55	13 x 110 x 60	10 x 44 x 25
2206	9	2	16 x 110 x 60	10 x 44 x 25
2206	10	2.45	16 x 110 x 60	13 x 54 x 25
2206	13	3.85	22 x 160 x 90	16 x 70 x 34
2206	16	6	22 x 160 x 90	18 x 85 x 40
2206	18	8	26 x 180 x 100	22 x 115 x 50

# Blueprint

