



Dee Shackles with Screw Collar Pin Yellow Pin G-3151

Product information

Dee shackle with screw collar pin.

Certification on request: 2.1, 2.2

Standard: Generally to US Fed. Spec. RR-C-271.

Material: Bow and pin high tensile steel

Marking: CE-marked

Finish: Hot dipped galvanized

Note: Import quality

Safety factor: 5:1

Grade: 6

Part code	Diameter mm	WLL ton	Size	a mm	b mm	c mm	d mm	e mm	Weight kg	Delivery time
420100030490	12	0.33	19	5	6	12	9.5	19	0.03	3
420100050490	16	0.5	22	6	8	16	12	22	0.04	3
420100080490	19	0.75	26	8	10	19	13.5	26	0.08	3
420100100490	23	1	32	10	11	23	17	32	0.13	3
420100150490	27	1.5	37	11	13	27	19	37	0.2	3
420100200490	30	2	41	13	16	30	20	41	0.28	3
420100330490	38	3.25	51	16	19	38	27	51	0.57	3
420100480490	46	4.75	60	19	22	46	32	60	1.19	3
420100650490	53	6.5	71	22	25	53	36	71	1.43	3
420100850490	61	8.5	81	25	28	61	43	81	2.16	3
420100950490	68	9.5	90	28	32	68	46	90	3.06	3
420101200490	76	12	100	32	35	76	51	100	4.11	3
420101350490	84	13.5	111	35	38	84	57	111	5.28	3
420101700490	92	17	122	38	42	92	60	122	6.69	3
420102500490	106	25	146	45	50	106	73	146	12.14	3

Blueprint

