

D Shackle with Safety Pin SS



Product information

Shackle manufactured from stainless steel EN10088 1.4404 (Marine Grade 316L). Excellent for lifting applications where a high level of corrosion resistance is required.

- Thick lugs on the shackle pins ensure that the product is both durable and dependable
- Special design of bolt ensures the nut is positioned correctly allowing sufficient room for the cotter pin
- Every shackle is proof load tested to 2 x WLL and certified at our manufacturing facility in the North East of England
- All shackles are manufactured in accordance with the Machine Directive 2006/42/EC
- Inspection certificate BS EN 10204 3.1 available on request
- High quality finish and excellent polish
- Manufactured using the latest technology in electrical upset forging

Material: Stainless steel 316L

Marking: CE-marked

Safety factor: 6:1

Part code	WLL ton	Bolt mm	B mm	J mm	L	Weight kg
420100041110	0.35	M6	6	13	25	0.048
420100051110	0.5	M8	8	16	32	0.075
420100081110	0.8	M10	9.5	19	38	0.136
420100101110	1	M12	11	22	44	0.212
420100131110	1.25	M12	12.7	26	52	0.331
420100181110	1.8	M16	14.3	29	58	0.585
420100281110	2.8	M20	16	32	64	0.76
420100331110	3.3	M22	19	38	76	1.18
420100451110	4.5	M24	22	44	88	1.75
420100501110	5	M27	25.4	50	100	2.6
420100751110	7.5	M33	28.6	57	114	3.1
420101001110	10	M36	31.8	64	128	4.35
420101201110	12	M39	34.9	70	140	5.3

Blueprint

