

Pillar Jib Crane 360deg - Underbraced

Product information



Appropriate for an indoor or outdoor use, the beam of the PRT is built on an I beam profile designed for an intensive use. The total rotation is on 360° and can be assisted by an engine (optional). The optional installation of a hoist motor direction is possible.

Floor fixing is effected by chemical anchors or anchor rods with foundation.

This model has a wide range of mechanical and electrical options.

Options

- Installation template + anchor rods (or base plate for chemical anchors, keeping its limitations in mind)
- Motorization on main roller (indoor use)
- Top-mounted motorization (outdoor use)
- Hoist power supply cable
- Lockable main switch
- 4-ring electrical collector, for unlimited rotation
- Hot dip galvanizing (contact us)
- Rotation stops to weld onto the assembly
- Single- or multipositions rotation lock
- Outdoor use
- Electric or manual hoist

... [Read more](#)

Pillar Jib Crane 360deg - Underbraced

Technical data

Part code	WLL ton	Length m	Cap. kg
6025PRT00152000	0.15	2	150
6025PRT00152500	0.15	2.5	150
6025PRT00153000	0.15	3	150
6025PRT00153500	0.15	3.5	150
6025PRT00154000	0.15	4	150
6025PRT00154500	0.15	4.5	150
6025PRT00155000	0.15	5	150
6025PRT00155500	0.15	5.5	150
6025PRT00156000	0.15	6	150
6025PRT00156500	0.15	6.5	150
6025PRT00157000	0.15	7	150
6025PRT00157500	0.15	7.5	150
6025PRT00158000	0.15	8	150
6025PRT00158500	0.15	8.5	150
6025PRT00159000	0.15	9	150
6025PRT00159500	0.15	9.5	150
6025PRT001510000	0.15	10	150
6025PRT001510500	0.15	10.5	150
6025PRT001511000	0.15	11	150
6025PRT001511500	0.15	11.5	150
6025PRT001512000	0.15	12	150
6025PRT00252000	0.25	2	250
6025PRT00252500	0.25	2.5	250
6025PRT00253000	0.25	3	250
6025PRT00253500	0.25	3.5	250
6025PRT00254000	0.25	4	250
6025PRT00254500	0.25	4.5	250
6025PRT00255000	0.25	5	250
6025PRT00255500	0.25	5.5	250
6025PRT00256000	0.25	6	250
6025PRT00256500	0.25	6.5	250

Pillar Jib Crane 360deg - Underbraced

Technical data

Part code	WLL ton	Length m	Cap. kg
6025PRT00257000	0.25	7	250
6025PRT00257500	0.25	7.5	250
6025PRT00258000	0.25	8	250
6025PRT00258500	0.25	8.5	250
6025PRT00259000	0.25	9	250
6025PRT00259500	0.25	9.5	250
6025PRT002510000	0.25	10	250
6025PRT002510500	0.25	10.5	250
6025PRT002511000	0.25	11	250
6025PRT002511500	0.25	11.5	250
6025PRT002512000	0.25	12	250
6025PRT00502000	0.5	2	500
6025PRT00502500	0.5	2.5	500
6025PRT00503000	0.5	3	500
6025PRT00503500	0.5	3.5	500
6025PRT00504000	0.5	4	500
6025PRT00504500	0.5	4.5	500
6025PRT00505000	0.5	5	500
6025PRT00505500	0.5	5.5	500
6025PRT00506000	0.5	6	500
6025PRT00506500	0.5	6.5	500
6025PRT00507000	0.5	7	500
6025PRT00507500	0.5	7.5	500
6025PRT00508000	0.5	8	500
6025PRT00508500	0.5	8.5	500
6025PRT00509000	0.5	9	500
6025PRT00509500	0.5	9.5	500
6025PRT005010000	0.5	10	500
6025PRT005010500	0.5	10.5	500
6025PRT005011000	0.5	11	500
6025PRT005011500	0.5	11.5	500

Pillar Jib Crane 360deg - Underbraced

Technical data

Part code	WLL ton	Length m	Cap. kg
6025PRT005012000	0.5	12	500
6025PRT01002000	1	2	1,000
6025PRT01002500	1	2.5	1,000
6025PRT01003000	1	3	1,000
6025PRT01003500	1	3.5	1,000
6025PRT01004000	1	4	1,000
6025PRT01004500	1	4.5	1,000
6025PRT01005000	1	5	1,000
6025PRT01005500	1	5.5	1,000
6025PRT01006000	1	6	1,000
6025PRT01006500	1	6.5	1,000
6025PRT01007000	1	7	1,000
6025PRT01007500	1	7.5	1,000
6025PRT01008000	1	8	1,000
6025PRT01008500	1	8.5	1,000
6025PRT01009000	1	9	1,000
6025PRT01009500	1	9.5	1,000
6025PRT010010000	1	10	1,000
6025PRT010010500	1	10.5	1,000
6025PRT010011000	1	11	1,000
6025PRT010011500	1	11.5	1,000
6025PRT010012000	1	12	1,000
6025PRT01602000	1.6	2	1,600
6025PRT01602500	1.6	2.5	1,600
6025PRT01603000	1.6	3	1,600
6025PRT01603500	1.6	3.5	1,600
6025PRT01604000	1.6	4	1,600
6025PRT01604500	1.6	4.5	1,600
6025PRT01605000	1.6	5	1,600
6025PRT01605500	1.6	5.5	1,600
6025PRT01606000	1.6	6	1,600

Pillar Jib Crane 360deg - Underbraced

Technical data

Part code	WLL ton	Length m	Cap. kg
6025PRT01606500	1.6	6.5	1,600
6025PRT01607000	1.6	7	1,600
6025PRT01607500	1.6	7.5	1,600
6025PRT01608000	1.6	8	1,600
6025PRT01608500	1.6	8.5	1,600
6025PRT01609000	1.6	9	1,600
6025PRT01609500	1.6	9.5	1,600
6025PRT016010000	1.6	10	1,600
6025PRT016010500	1.6	10.5	1,600
6025PRT016011000	1.6	11	1,600
6025PRT016011500	1.6	11.5	1,600
6025PRT016012000	1.6	12	1,600
6025PRT02002000	2	2	2,000
6025PRT02002500	2	2.5	2,000
6025PRT02003000	2	3	2,000
6025PRT02003500	2	3.5	2,000
6025PRT02004000	2	4	2,000
6025PRT02004500	2	4.5	2,000
6025PRT02005000	2	5	2,000
6025PRT02005500	2	5.5	2,000
6025PRT02006000	2	6	2,000
6025PRT02006500	2	6.5	2,000
6025PRT02007000	2	7	2,000
6025PRT02007500	2	7.5	2,000
6025PRT02008000	2	8	2,000
6025PRT02008500	2	8.5	2,000
6025PRT02009000	2	9	2,000
6025PRT02009500	2	9.5	2,000
6025PRT020010000	2	10	2,000
6025PRT020010500	2	10.5	2,000
6025PRT020011000	2	11	2,000

Pillar Jib Crane 360deg - Underbraced

Technical data

Part code	WLL ton	Length m	Cap. kg
6025PRT020011500	2	11.5	2,000
6025PRT020012000	2	12	2,000
6025PRT02502000	2.5	2	2,500
6025PRT02502500	2.5	2.5	2,500
6025PRT02503000	2.5	3	2,500
6025PRT02503500	2.5	3.5	2,500
6025PRT02504000	2.5	4	2,500
6025PRT02504500	2.5	4.5	2,500
6025PRT02505000	2.5	5	2,500
6025PRT02505500	2.5	5.5	2,500
6025PRT02506000	2.5	6	2,500
6025PRT02506500	2.5	6.5	2,500
6025PRT02507000	2.5	7	2,500
6025PRT02507500	2.5	7.5	2,500
6025PRT02508000	2.5	8	2,500
6025PRT02508500	2.5	8.5	2,500
6025PRT02509000	2.5	9	2,500
6025PRT02509500	2.5	9.5	2,500
6025PRT025010000	2.5	10	2,500
6025PRT025010500	2.5	10.5	2,500
6025PRT025011000	2.5	11	2,500
6025PRT025011500	2.5	11.5	2,500
6025PRT025012000	2.5	12	2,500
6025PRT03202000	3.2	2	3,200
6025PRT03202500	3.2	2.5	3,200
6025PRT03203000	3.2	3	3,200
6025PRT03203500	3.2	3.5	3,200
6025PRT03204000	3.2	4	3,200
6025PRT03204500	3.2	4.5	3,200
6025PRT03205000	3.2	5	3,200
6025PRT03205500	3.2	5.5	3,200

Pillar Jib Crane 360deg - Underbraced

Technical data

Part code	WLL ton	Length m	Cap. kg
6025PRT03206000	3.2	6	3,200
6025PRT03206500	3.2	6.5	3,200
6025PRT03207000	3.2	7	3,200
6025PRT03207500	3.2	7.5	3,200
6025PRT03208000	3.2	8	3,200
6025PRT03208500	3.2	8.5	3,200
6025PRT03209000	3.2	9	3,200
6025PRT03209500	3.2	9.5	3,200
6025PRT032010000	3.2	10	3,200
6025PRT032010500	3.2	10.5	3,200
6025PRT032011000	3.2	11	3,200
6025PRT032011500	3.2	11.5	3,200
6025PRT032012000	3.2	12	3,200
6025PRT04002000	4	2	4,000
6025PRT04002500	4	2.5	4,000
6025PRT04003000	4	3	4,000
6025PRT04003500	4	3.5	4,000
6025PRT04004000	4	4	4,000
6025PRT04004500	4	4.5	4,000
6025PRT04005000	4	5	4,000
6025PRT04005500	4	5.5	4,000
6025PRT04006000	4	6	4,000
6025PRT04006500	4	6.5	4,000
6025PRT04007000	4	7	4,000
6025PRT04007500	4	7.5	4,000
6025PRT04008000	4	8	4,000
6025PRT04008500	4	8.5	4,000
6025PRT04009000	4	9	4,000
6025PRT04009500	4	9.5	4,000
6025PRT040010000	4	10	4,000
6025PRT05002000	5	2	5,000

Pillar Jib Crane 360deg - Underbraced

Technical data

Part code	WLL ton	Length m	Cap. kg
6025PRT05002500	5	2.5	5,000
6025PRT05003000	5	3	5,000
6025PRT05003500	5	3.5	5,000
6025PRT05004000	5	4	5,000
6025PRT05004500	5	4.5	5,000
6025PRT05005000	5	5	5,000
6025PRT05005500	5	5.5	5,000
6025PRT05006000	5	6	5,000
6025PRT05006500	5	6.5	5,000
6025PRT05007000	5	7	5,000
6025PRT05007500	5	7.5	5,000
6025PRT05008000	5	8	5,000
6025PRT05008500	5	8.5	5,000
6025PRT05009000	5	9	5,000
6025PRT06302000	6.3	2	6,300
6025PRT06302500	6.3	2.5	6,300
6025PRT06303000	6.3	3	6,300
6025PRT06303500	6.3	3.5	6,300
6025PRT06304000	6.3	4	6,300
6025PRT06304500	6.3	4.5	6,300
6025PRT06305000	6.3	5	6,300
6025PRT06305500	6.3	5.5	6,300
6025PRT06306000	6.3	6	6,300
6025PRT06306500	6.3	6.5	6,300
6025PRT06307000	6.3	7	6,300
6025PRT08002000	8	2	8,000
6025PRT08002500	8	2.5	8,000
6025PRT08003000	8	3	8,000
6025PRT08003500	8	3.5	8,000
6025PRT08004000	8	4	8,000
6025PRT08004500	8	4.5	8,000

Pillar Jib Crane 360deg - Underbraced

Technical data

Part code	WLL ton	Length m	Cap. kg
6025PRT08005000	8	5	8,000
6025PRT08005500	8	5.5	8,000
6025PRT08006000	8	6	8,000
6025PRT10002000	10	2	10,000
6025PRT10002500	10	2.5	10,000
6025PRT10003000	10	3	10,000
6025PRT10003500	10	3.5	10,000
6025PRT10004000	10	4	10,000
6025PRT10004500	10	4.5	10,000
6025PRT10005000	10	5	10,000
6025PRT10005500	10	5.5	10,000