

Fixed Pulley with support plate

Product information


Pulleys available for wire rope diameter from 4 to 22/24mm.

... [Read more](#)



Fixed Pulley with support plate

Blueprint



Technical data

Part code	Rope Ø range mm	Model	A mm	B mm	C mm	Ø E mm	Screw Ø mm	F mm	G, mm	Weight kg
140100400320	4	PF4	80	87	72	70	6.5	51	59	1
140100500320	5	PF5	100	108	90	85	8.5	63	73	1.5
140100700320	6-7	PF6/7	150	161	135	133	11.5	95	110	5
140100800320	8-9	PF8/9	200	215	160	172	14	115	155	11
140101300320	12-13	PF12/13	295	312.5	200	250	18	140	235	29
140101600320	15-16	PF15/16	375	394.5	240	320	20	170	300	54.6
140101800320	17-18	PF17/18	425	452.5	270	355	26	190	340	88.4
140102000320	20	PF 20	510	543	330	440	32	230	410	151.7
140102400320	22-24	PF22/24	570	610	370	500	32	260	460	265

Fixed Pulley with support plate

Model	Max. capacity 180° kg	Max. capacity 90° kg
PF4	350	500
PF5	600	850
PF6/7	1000	1400
PF8/9	1600	2300
PF12/13	4000	5700
PF15/16	5500	7800
PF17/18	7300	10300
PF 20	9200	13000
PF22/24	11500	16000