

AVL-5000 & AVL-5000B Uncoiling Machines Talurit®

Product information



AVL-5000 and AVL-5000B are made to handle a maximum wire rope drum load of 5000 kg.

Engineered with spherical roller bearings.

AVL-5000 is ideal as a manual stand alone uncoiling unit. It can however be upgraded to an AVL 5000B by installing an electro magnetic brake. Contact Talurit AB for more info about this.

AVL-5000B is primarily designed to be an integrated part of a TALURIT™ Wire Rope Handling System for automatic cutting, coiling and measuring.

The AVL-5000B is equipped with an electro magnetic brake, controlled by a control voltage of 24 VDC.

When the power is on, the brake is released.

The brake can either be controlled by another TALURIT™ automatic machine, or by an external 24 VDC power supply with a standard on/off function.

- Compact design
- Removable center pin
- Long life
- Low maintenance
- Roller bearings for smooth running

[... Read more](#)

AVL-5000 & AVL-5000B Uncoiling Machines Talurit®

Technical data

Part code	Code	Maximum load kg	Weight kg
1498	AVL-5000	5,000	300
1498AVL5000B	AVL-5000B	5,000	300

Code	Equipped with an electrical brake	Electrical brake control signal
AVL-5000	No	No
AVL-5000B	Yes	24 V DC