

Turnbuckle T2 Heavy Duty

Product information

On request deliverable with 2 securing nuts or plates.
Custom designed screws can be constructed in any size and capacity.
Rigging screws are supplied with trapezium thread.
Also deliverable with jaw/jaw or eye/eye.

Material: High tensile steel.

Finish: Painted.

Safety factor: 5:1



Part code	WLL ton	Thread trap.	B1 mm	B2 mm	B3 mm	D1 mm	D2 mm	L in	L out	R1 mm	R2 mm	T mm	Weight kg
422101350080	13.5	55x8	55	50	20	51	53	890	1,215	60	60	120	52
422101700080	17	65x8	65	55	28	63	65	965	1,315	70	70	130	69
422102500080	25	70x8	76	70	30	70	72	1,030	1,360	70	70	145	85
422103000080	30	75x8	80	70	35	72	74	1,090	1,460	75	75	160	100
422103500080	35	80x8	90	80	40	80	82	1,175	1,575	85	85	175	140
422104500080	45	90x8	100	90	45	90	93	1,235	1,715	95	95	175	180
422105500080	55	100x8	110	100	50	100	103	1,325	1,835	105	105	175	240
422107000080	70	110x8	110	100	55	108	111	1,435	1,985	115	115	175	340
422108500080	85	120x8	130	120	75	127	130	1,540	2,175	135	135	175	420
422110000080	100	130x8	140	130	90	140	143	1,615	2,345	145	145	175	510
422112000080	120	140x8	155	140	90	152	155	1,740	2,335	170	170	190	600
422116000080	160	160x8	170	160	100	178	181	1,865	2,465	190	190	210	700
422120000080	200	180x8	190	170	110	190	193	210	2,630	220	200	250	960
422125000080	250	200x8	210	190	120	250	253	2,190	2,860	260	260	280	1.12

Blueprint

