



Snatch Block McKissick 404 Tail Board Light Champion

Product information

General:

The McKissick snatch block 404 Light Champion from Crosby is a Tail board type snatch block. Available from WLL 2 up to 8 T. Can be delivered with bronze bushing (BB) and from WLL 8 T also with roller bearing (RB).

Features:

- Bolt for opening feature is retained, to ensure no lost bolts.
- Opening feature permits easy insertion of rope without reeving, or while the block is suspended.
- Center pin equipped with pressure lube fitting.
- All sizes feature sheave grooves suited for a range of wire line diameters.
- Meets or exceeds all requirements of ASME B30.26 including identification ductility, design factor, proof load and temperature requirements.
- Meet other critical performance requirements including fatigue life and material traceability, not addressed by ASME B30.26.

Material: Forged steel.

Safety factor: 4:1

Part code	Rope Ø range mm	WLL ton	Sheave dia mm	Bearing	A mm	B mm	C mm	D mm	E mm	F mm	G mm	Weight kg
140101000350	8-10	2	76	BB mm	124	76	67	26	13	67	22	1.4
140101300350	10-13	4	114	BB mm	197	108	79	40	19	108	41	3.2
140101900350	16-19	8	152	BB mm	251	152	106	46	25	130	41	6.8
140101900351	16-19	8	152	RB	251	152	106	46	25	130	41	6.8
140101900352	16-19	8	203	BB mm	303	206	106	46	25	155	41	9.5
140101900353	16-19	8	203	RB	303	206	106	46	25	155	41	9.5
140101900354	16-19	8	254	BB mm	356	257	106	46	25	183	43	13.2
140101900355	16-19	8	254	RB	356	257	106	46	25	183	43	13.2
140101900356	16-19	8	305	BB mm	427	306	106	46	25	229	64	16.3
140101900357	16-19	8	305	RB	427	308	106	46	25	229	64	16.3

Blueprint

