



Snatch Block McKissick 430 with Hook - Super Champion

Product information

The McKissick snatch block 430 Super Champion from Crosby is a snatch block fitted with a hook. Available from 20 up to 30 T. Can be delivered with bronze bushing (BB) and with roller bearing (RB).

Features:

- Bolt for opening feature is retained, to ensure no lost bolts.
- Opening feature permits easy insertion of rope without reeving, or while the block is suspended.
- Center pin equipped with pressure lube fitting.
- All sizes feature sheave grooves suited for a range of wire line diameters.
- Meets or exceeds all requirements of ASME B30.26 including identification ductility, design factor, proof load and temperature requirements.
- Meet other critical performance requirements including fatigue life and material traceability, not addressed by ASME B30.26.

Material: Forged steel.

Marking: CE-marked

Safety factor: 4:1

Part code	Code	Rope Ø range mm	WLL ton	Sheave dia mm	Bearing	A,	B,	C,	D,	E,	F,	G,	H,	Weight kg
424102000300	430	26-29	20	203	BB mm	657	206	152	239	51	468	38	86	34
424102000305	430	26-29	20	203	RB	657	206	152	239	51	468	38	86	34
424102000306	430	26-29	20	254	BB mm	710	257	152	239	51	495	38	86	40.4
424102000307	430	26-29	20	254	RB	710	257	152	239	51	495	38	86	40.4
424102000308	430	26-29	20	305	BB mm	762	311	152	239	51	521	38	86	46.7
424102000309	430	26-29	20	305	RB	762	311	152	239	51	521	38	86	46.7
4241020003010	430	26-29	20	356	BB mm	821	356	152	239	51	558	38	86	55.8
4241020003011	430	26-29	20	356	RB	821	356	152	239	51	558	38	86	55.8
424102500300	430	26-32	25	457	BB mm	1,052	464	181	299	64	710	49	110	108.9
424102500305	430	26-32	25	457	RB	1,052	464	181	299	64	710	49	110	108.9
424103000300	430	26-32	30	508	BB mm	1,325	514	211	387	76	917	57	150	170.1
424103000305	430	26-32	30	508	RB	1,325	514	211	387	76	917	57	150	170.1
424103000306	430	26-32	30	610	BB mm	1,416	616	211	387	76	959	57	150	204.1
424103000307	430	26-32	30	610	RB	1,416	616	211	387	76	959	57	150	204.1

Blueprint

