

Thimble K5 - Solid



Product information

We can deliver a high quality thimble solid K5 GN. Ductile iron GGG50 and painted and galvanized.

Material: Ductile iron GGG50.

Finish: Painted/galvanized.

Part code	Rope Ø range	Size inch	A mm	B mm	D mm	E mm	F mm	H mm	H max.	I max.	Weight kg/100pc
123100800130	7-8	2"	66	40	31	9	15	14	20	10	0.16
123101000130	9-10	2 1/2"	82	50	38	11	18	18	25	15	0.29
123101200130	11-12	3"	98	60	45	13	20	21	30	20	0.46
123101500130	13-15	3 1/2"	114	70	53	16	24	25	35	25	0.72
123101800130	16-18	4"	110	75	58	19	26	40	45	35	0.79
123101800131	16-18	4"	110	75	58	19	26	30	45	35	0.79
123102100130	19-21	5"	130	92	65	23	30	45	50	40	1.3

123102100131	19-21	5"	130	92	65	23	30	30	50	40	1.3
123102100132	19-21	5"	130	92	65	23	30	40	50	40	1.3
123102400130	22-24	6"	150	110	82	26	33	55	60	50	2.1
123102400130	22-24	6"	150	110	82	26	33	30	60	50	2.1
123102400130	22-24	6"	150	110	82	26	33	40	60	50	2.1
123102400131	22-24	6"	150	110	82	26	33	45	60	50	2.1
123103000130	25-30	7"	180	127	96	32	40	60	70	60	3.6
123103000131	25-30	7"	180	127	96	32	40	30	70	60	3.6
123103000132	25-30	7"	180	127	96	32	40	40	70	60	3.6
123103000133	25-30	7"	180	127	96	32	40	52	70	60	3.6
123103300130	31-33	8"	200	140	100	35	43	70	75	65	4.4
123103300131	31-33	8"	200	140	100	35	43	30	75	65	4.4
123103300132	31-33	8"	200	140	100	35	43	42	75	65	4.4
123103300133	31-33	8"	200	140	100	35	43	55	75	65	4.4
123103700130	34-37	9"	225	160	122	39	47	100	100	80	6.2
123103700131	34-37	9"	225	160	122	39	47	50	100	80	6.2
123103700132	34-37	9"	225	160	122	39	47	70	100	80	6.2
123103700133	34-37	9"	225	160	122	39	47	90	100	80	6.2
123104000130	38-40	10"	250	170	127	43	57	100	105	85	9.1
123104000131	38-40	10"	250	170	127	43	57	50	105	85	9.1
123104000132	38-40	10"	250	170	127	43	57	70	105	85	9.1
123105100130	41-51	12"	305	210	160	54	69	105	120	100	17
123105100131	41-51	12"	305	210	160	54	69	60	120	100	17

123105100132	41-51	12"	305	210	160	54	69	80	120	100	17
123105700130	52-57	14"	355	240	181	61	80	110	140	120	26
123105700131	52-57	14"	355	240	181	61	80	75	140	120	26
123106400130	58-64	17"	431	290	230	68	92	122	160	140	46
123106400131	58-64	17"	431	290	230	68	92	85	160	140	46
123108300130	65-83	24"	597	387	310	88	114	130	200	180	101

Blueprint

